

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: H03M 7/30, H04L 29/06

A1

(11) International Publication Number:

WO 00/70770

(43) International Publication Date: 23 November 2000 (23.11.00)

(21) International Application Number:

PCT/GB00/01794

(22) International Filing Date:

10 May 2000 (10.05.00)

(30) Priority Data:

9911099.1

13 May 1999 (13.05.99)

GB

(71) Applicant (for all designated States except US): EURONET UK LIMITED [GB/GB]; 57 Tinshill Mount, Cookridge, Leeds LS16 7BI (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): MIDDLETON, Guy [GB/GB]; 57 Tinshill Mount, Cookridge, Leeds LS16 7BL (GB).

(74) Agent: BAILEY WALSH & CO.; 5 York Place, Leeds LS1 2SD (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: COMPRESSION/DECOMPRESSION METHOD

(57) Abstract

Computers connected to the Internet generally have loaded thereon a "browser" to enable the user of the computer to view information contained in Text Markup Language files known as web pages. The invention disclosed relates to a method of compressing web pages by replacing the most commonly used elements within the web page text files, known as tags, with a simple control code and simultaneously creating a look-up table string containing the control codes and the corresponding tags. The result is a compression string representative of the original web page file and a look-up string, both of which are inserted into a simple web page file having lines of code recognisable and executable by said browser. On receipt of said simple web page file, the browser recognises and executes the code which works on the compression string using the look up table string to expand said compression string which is then recognised by the browser as being in conventional web page file format. The invention has the added advantage of allowing a web page to be loaded and displayed as the expansion of the compression string is occurring.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL.	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
ΛM	Armenia	FI -	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	. Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	· Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinca	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT Trinidad and Tobago	
BJ	Benin	ΙE	Ireland	MN	Mongolia	UA Ukraine	
BR	Brazil	11.	Israel	MR	Mauritania	UG	Uganda .
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Кепуа	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Compression/Decompression Method

This invention relates to a compression/decompression method, and more particularly to a compression/decompression technique for compression and expanding computer readable files which are to be transmitted from one computer and received by another computer over a medium of limited bandwidth, for example across interlinked communications networks, or through space using infra-red or radio transmission techniques.

The explosive growth experienced in information technology industry over the previous 20-30 years has resulted in a proliferation of new technologies, not least of which is generically termed "The Internet" or "World Wide Web". Although a comprehensive explanation of the Internet is beyond the scope of this application, a brief explanation of the practical mechanics of the Internet will clarify the invention to the reader.

The Internet is essentially a global network of computers each of which can communicate with a number of other computers also on that global network to allow for the world-wide transmission and reception of information. Redundancy is incorporated into the Internet in that any one computer on the Internet is linked to a plurality of others, so the failure of any one of those computers will not result in an overall failure of the Internet. Transmission of data over the Internet is essentially in the form of packets of data which form part of the entire data being transmitted, and although one of the computers on the Internet may fail or be inactive at any one time, the data can still be transmitted albeit via a different route.

Aside from the permanent availability of the Internet and the concomitant facility for guaranteed data transmission at any time, the most practical benefit of the internet has been for the retrieval

of information by individuals by accessing Internet or "Web" sites. A web site is effectively a number of separate individual computer files containing text, graphics, animations, and the like which reside on portion of a hard disk drive of a computer connected to the Internet. Each web site consists of a plurality of different pages providing information concerning the particular company hosting that web site, a number of "links" which a user viewing the particular site on his computer can select using a computer mouse and be automatically redirected, either to another web page within that site or to a totally different site, and in many cases some advertisements for other companies who have web sites. Each of these advertisements itself constitutes a link to that company's web site.

A few companies operating computers connected to the Internet maintain databases of all the various web sites around the world and their content, and such companies have their own web sites, particular pages of which allow for a user to input one or two key words of a topic covered by web sites anywhere in the world. The search engine then queries the underlying database for matches and the database server automatically generates a web page consisting of a number of links to web sites around the world, the pages of which include the particular search terms entered by the user. It is to be mentioned that the Internet has been in existence since the 1970s, although it is only in the 1990s that it experienced explosive growth global media, Industrial and Commercial Organisations, Governments, Scientific and Academic Institutions, and world-wide business in general have begun to realise the potential of the Internet as a medium, primarily for selling. Although the internet was originally invented for the provision and sharing of information between Military and Defence institutions in the USA, and was adopted subsequently by academic institutions for the same purpose, the Internet continues to be an invaluable resource for

Computer Programmers, Developers and the like, and it is up until recently the more computer literate individuals who have enjoyed the most benefit from the Internet at this time.

One of the fundamental disadvantages of the Internet as an information transmission medium is "bandwidth". This term is describe the transfer rate of a particular broadly used to communication link. For example, a simple analogue telephone wire can carry data at a rate of 56kbps (thousand bits per second), whereas a dedicated leased line connection is capable transmitting data at speeds of up 10Mbps and greater. Transatlantic cables laid by large telecommunications service providers can even transmit data at over 200Mbs. The vast majority of the world's population however currently connect either at work over their employers Local Area Network where the speed of data transmission and reception is directly affected by the number of computers on the network and the particular type of network being operated, or at home via a simple analogue telephone line. The vast majority of data is therefore transmitted and received slowly, and any reduction in the amount of data being transmitted would immediately improve the appeal of the Internet and furthermore reduce the costs of connecting thereto, which in the cases of a leased line connection may be in terms of many thousand pounds per annum.

Additionally, many Internet Service Providers (i.e. those companies which exist solely to provide Internet access to those companies and individuals whose computers or computer networks are not connected to the Internet) charge for access to the Internet by measuring the quantity of information, i.e. data transmitted through their servers to the particular user subscribing to their service.

To provide some indication of the magnitude of current Internet traffic, or at least the quantity of data which is currently available, there are, at the earliest filing date of this application, approximately 150 million users of the Internet, with approximately 20 million computers interconnected. The number of people connected to the Internet at any one time is currently increasing at a very approximate rate of 35 every 20 seconds. There are well over 100 million web pages, and a simple search on one of the many Internet search engines consisting of the word "computer" (being a term which is likely to be included in a large number of web site pages because many such web sites are devoted to computing and related technologies) can regularly result in links to over one million of such pages.

The vast majority of Web pages are essentially individual computer files comprising a mixture of text, graphics, background images, and animations. Each page can be written in a variety of different formats based on what is known as a "markup" language. Internet browsers, i.e. those computer programs which allow their user to view web pages, are generally capable of interpreting all the various markup languages in which a web page may be written and thus display the web page in a desired manner. Such markup languages are used because in the early days of the Internet and to a lesser extent today, there were so many different computer packages available for presenting information on a page on a computer screen and so many ways of increasing the size, spacing, and formatting of text that there was a need for a universal language which could be interpreted by a simple program, i.e. the browser. Hypertext Markup Language (or HTML as the language is more commonly known) consists of a number of "tags" which provide information to the browser decoding same, usually as the information is received through the telephone line or across a LAN, where the information specified within the said tags should be displayed on the web page.

Modern HTML consists of a great many tags which constrain the browser to display information within the web page in a certain manner, and more recently certain of these tags can be used to inform the browser of existence of an executable program within the tag. Most modern browsers possess the capability to execute lines of program code within web page information, and those that do not can be provided with a "plug-in" module program that allows this functionality.

JavaScript (Trade Mark), ASP (Active Server Pages, Trade Mark), and VB Script (Visual Basic Scripting, Trade Mark) are all examples of computer programming languages which may be incorporated within a web page to increase the functionality thereof, allow for dynamic alteration of web pages depending on the circumstances and program variables, and which can be executed "on the fly" by modern browsers.

The above executable languages have only recently begun to be extensively implemented in Web Pages to control their content dependent on certain variables, for example the particular personal choice of the user of the browser. In general, such languages only serve to increase the overall byte size of the HTML file being downloaded and read by the browser. Although the functionality which such languages provide is in certain circumstances invaluable, there is an increase in the amount of internet traffic as a result and the time taken for the HTML file to be downloaded is thus increased.

In the light of the above, it will be appreciated that any slight reduction in the amount of Internet traffic could be invaluable.

The invention thus has as its primary object the provision of a means for the reduction of Internet traffic.

According to the invention there is provided a compression technique for compressing a file containing tags, information, and code constituted of simple text readable and/or executable by a browser program for display therein, said technique comprising the steps of analysing the file for the number of instances of particular segments of text, replacing the most commonly occurring segments with control codes specific to that matter being replaced to create a compression string of uncompressed textual matter and control codes, and creating look-up table means for facilitating the recognition and replacement of the control codes during subsequent expansion of the compression string.

Preferably, the compression string is repackaged in an output file having at least one pair of tags readable and/or executable by a browser.

Preferably the look-up table means is additionally repackaged in the output file of the process.

It is further preferable that the repackaging of the compression string and the look-up table means in the output file is accompanied by the insertion of a browser executable expansion routine which expands the compression string.

Most preferably, the compression string and the look-up string are provided in the form of variable definitions to the browser.

It is yet further preferable that the output file consists only of initialisation and termination tags, immediately followed and preceded with script identifying tags which bound the compression string, the look-up string, and the browser executable expansion routine.

According to a second aspect of the invention there is also provided a file when compressed according to the compression technique as specified in the primary aspect of the invention.

According to a third aspect of the invention there is provided a compression string and look-up means resulting from the application of the compression technique according to the invention.

According to a fourth aspect of the invention there is provided an expansion technique for creating a web page containing tags, information, and code constituted of simple text readable and/or executable by a browser program for display therein, constituting the steps of consecutively analysing each character or group of characters of a compression string consisting at least of uncompressed textual matter and control codes, replacing control codes within the compression string with textual matter corresponding to the particular control code as contained in look-up means to create a string of textual matter interpretable by a browser, and outputting said resulting textual matter for display by said browser.

Preferably the output of textual matter occurs simultaneously with the expansion of the compression string.

Preferably the executable code within the browser readable file is implemented in JavaScriptTM or VB ScriptTM.

The fundamental advantages of the compression technique according to the invention are that web pages can be compressed by a factor of between 40-60% while remaining entirely readable by the vast majority of the browser programs currently in use in the world.

The underlying inventive concept of the invention lies in the realisation of the inventor that web pages consists of a large number of often identical mark-up language tags which can be replaced by control codes, together with any textual matter within the file which appears frequently within said file. Additionally, the realisation that the execution of computer code by the browser program on the user's computer is in all cases a much speedier process than the transfer of the information constituting a file through an analogue or digital telephone line, company LAN or WAN (Wide Area Network), and accordingly it is far more efficient to use executable code to expand and reconstitute the original web page at the users' computer than to download an uncompressed version of the web page.

A further advantage of the invention is realised on the company "Intranet" where a company's information is presented to the employees in the form of predominantly text-based web pages. Company Intranets are exceedingly bandwidth-intensive in that a very large amount of information can be transmitted over the company network. The reduction of Intranet traffic which would be obtained by compression of all the said web pages would reduce network traffic, and thus release network resources for the transmission of additional information. Ultimately, users would not only experience an increase in speed with which they could view information as a result of the compression technique according to the invention, but the speed with which any information reached a particular machine over the network would increase in general because of the reduction in network traffic.

Experimentation has shown that the compression method according to the invention can achieve 40-60% compression depending on the content of a particular page. For example, web pages consisting of a large number of images will not be compressed as efficiently as web

page consisting predominantly of text, but the mere fact that any web page comprises at least a pair of identical tags (the structure of mark-up languages necessitates this) renders all web pages compressible to some degree by the method according to the invention.

A specific embodiment of the invention is now described by way of example with reference to the accompanying Figures which comprise lines of JavaScriptTM code used in the invention.

Figure 1 shows an example of a file readable by a browser and compressed according to the invention, and

Figure 1A shows the original source HTML code on which the compression according to the invention was conducted to result in the code shown in Figure 1;

Figures 2-6 show example code used for the compression of conventional Web Pages.

Referring firstly to Figure 1, there is shown is simple textual representation 2 of a computer file which is both readable by a modern browser program. The file contains conventional hypertext mark-up language tags 4, 6 which those skilled in the art will immediately recognise as indicating to the browser program the beginning and end of the web page. The "<SCRIPT>" and "</SCRIPT>" tags 8 indicate to the browser program that what text exists between those tags is not to be processed as commands relating to the displaying of convention web page information, but is to be processed as lines of executable code. Thus it will be understood that the compressed file 2 consists almost entirely of executable code, the only exception being the tags 4, 6 which inform

the browser that the file is readable as a web page and the tags 8 which instruct the browser to execute lines of code.

The original web page from which the compressed file 2 was derived is shown in Figure 1A, and it can be instantly appreciated that there is much repetition of the text appearing within the various tags. The invention takes particular advantage of the fact that mark-up languages work on the principle that each particular piece of text which is to appear with certain formatting on the web page is preceded and followed by one or more pairs of tags to instruct the browser to apply specific formatting to the particular piece of text between the respective tags. Accordingly, practically every tag within a web page appears twice. Web pages which are particularly formatting-rich can thus be compressed with greater efficiency as relevant tags are removed by the process.

The examples of the compressed file 2 and the original web page shown in Figures 1 and 1A are provided solely to demonstrate the operation of the invention, and in reality it may be imprudent to compress web pages of the type shown in Figure 1A because the resulting compressed file is actually larger than the original. A clearer understanding of the number of repeated tags incorporated in a typical web page can be gleaned from Figures 7-15 which show the number of lines code typically used in a particularly formatting-rich web page. It is to be mentioned that the invention encompasses the compression not only of tags, but of every single character which constitutes the web page and whose replacement may result in optimised compression because of their repetition throughout the document. Examples include commonly used words such as "the", curly brackets/braces, greater than and less than signs, and the like.

Referring again to Figure 1, within the compressed file 2 there is a look-up string 10 (the length of which is much longer than shown in

the Figure), and a compression string 12 comprising control codes identified primarily by square boxes and textual matter which the compression technique statistically determined it would be inefficient to replace with control codes.

An expansion cycle sequentially counts through each individual character within the compression string and expands the string if a control code is encountered by replacing said control code with its corresponding entry from the look-up string 10, and write commands 16 instruct the browser to display portions of the expanded string sequentially and during execution of the code. In this manner the impression to the user during code execution is that the web page is being conventionally downloaded, albeit much quicker than would be usual for that particular user's connection.

As mentioned above, Figures 2-6 show a specific embodiment of how the compression technique according to the invention could be implemented in lines of code, and from such code it will be immediately apparent to the skilled person how the compression technique ascertains which textual matter within the original web page is to be replaced with a control code.

In a modified embodiment of the invention, it is foreseen by the applicant that a specific expansion routine similar to that disclosed in the code of Figure 1 could be provided as a plug-in for existing browsers such that only the compression string and the look-up string need be downloaded onto a user's computer for expansion by a suitably enabled browser. In this circumstance, the compressed file 2 would consist only of the initial and terminal tags 4, 6 and of pairs of tags which would identify the said strings encapsulated between said pairs of tags to the browser for expansion of the compression string using the look-up string. In this manner, yet further compression efficiency could be achieved. As an alternative

to a plug-in, the executable expansion routine could be hard-coded within the code kernel of the browser, or otherwise integrated into the code which controls the operation of the browser.

In a yet further modification of the invention, it is foreseen that the only the compression string need be included in the compressed file and encapsulated between a suitable pair of identifying tags, with both the expansion routine and a universally applicable look up string being incorporated into the browser program on a user's computer. In this manner the size of web pages to be downloaded could be minimised, and compression efficiency concomitantly maximised.

CLAIMS

- 1. A compression method for compressing a file containing tags, information, and code constituted of simple text readable and/or executable by a browser program for display therein, said technique comprising the steps of analysing the file for the number of instances of particular segments of text, replacing the most commonly occurring segments with control codes specific to that matter being replaced to create a compression string of uncompressed textual matter and control codes, and creating look-up table means for facilitating the recognition and replacement of the control codes during subsequent expansion of the compression string.
- 2. A method according to claim 1 wherein the compression string is repackaged in an output file having at least one pair of tags readable and/or executable by a browser.
- 3. A method according to claim 2 wherein the look-up table means is additionally repackaged in the output file.
- 4. A method according to claim 3 wherein the repackaging of the compression string and the look-up table means in the output file is accompanied by the insertion of a browser executable expansion routine which expands the compression string.
- 5. A method according to claim 4 wherein the compression string and the look-up string are provided in the form of variable definitions to the browser.
- 6. A method according to claim 5 wherein the output file consists only of initialisation and termination tags, immediately followed and preceded with script identifying tags which bound the

compression string, the look-up string, and the browser executable expansion routine.


- 7. A method according to claim 6 wherein said method is performed on a text markup file which can be read by a suitable computer browser program.
- 8. A compression string derived from a file containing tags, information, and code constituted of simple text readable and/or executable by a browser program for display therein, said string resulting from an analysis of the file for the number of instances of particular segments of text followed by a replacement of the most commonly occurring segments with control codes specific to that matter being replaced, said compression string comprising uncompressed textual matter and control codes.
- 9. A compression string according to claim 8 when provided together with look-up table means for facilitating the recognition and replacement of the control codes during subsequent expansion of the compression string.
- 10. An expansion technique for creating a computer browser program readable file containing tags, information, and code constituted of simple text readable and/or executable by said browser program for display therein, constituting the steps of consecutively analysing each character or group of characters of a compression string consisting at least of uncompressed textual matter and control codes, replacing control codes within the compression string with textual matter corresponding to the particular control code as contained in look-up means to create a string of textual matter interpretable by a browser, and outputting said resulting textual matter for display by said browser.

- 11. A technique according to claim 10 wherein the output of textual matter occurs simultaneously with the expansion of the compression string.
- 12. A technique according to claim 11 wherein the executable code within the browser readable file is implemented in JavaScriptTM.
- 13. A technique according to claim 12 wherein the executable code within the browser readable file is implemented in VB ScriptTM.

```
<HTML><HEAD>
   <SCRIPT>.
  // copyright Guy Middleton May 5 1999 Euronet UK Ltd
  // no use of this code or method can be made without permission from the owner
  in writing
  Lib = ""
                                                                                                                                                                 10
  function wXcVsd() {
var L = new Array()
 ,<,>,,=,,/,TD,.,,to, and,,FONT,the,P,A,FACE,SIZE,of,HELVETICA, ARIAL,Horsforth,VALIGN
  var a=i,b=l,Word
  for (ver i=1; i <= Lib.length; i++) {</pre>
  Word = Lib.substring(i,i+1)
  if (Word==","){
  Word = Lib.substring(b,(i))
  b=i+1
  L[a]=Word
  a++}
  var Code = "Hanyi Haya III Haya II ymeta
 httpb#ÿequivb@grefresHpoTycontentp@g3; URLbmn

&o y the yyyo hallowoux no ollow off no olivy shirt hallow the left poyes but of content to your the left poyes but of content to your the left poyes of the left poyed by the left p
  var E=0
  for (var i=0; i<=(Code.length-1); i++) {</pre>
  E=escape(Code.charAt(i))
  E=E.substring(1, (E.length +2))
  E = parseInt(E,16)
  if (E=255) \{ Tag = 0 \}
  if (E=254) {Tag = 1}
  if (E!=246 && E!=253 && E!=254 && E!=255 && Tag==1) (document.write (L[Z]))
  if (E!=246 && E!=253 && E!=254 && E!=255 && Tag==0) (document.write
   (Code.substring(i,i+1))}
  if (E==246) {document.write ('*')}
   document.close()
   </SCRIPT>
   </HEAD><BODY onLoad=wXcVsd()'></BODY></HTML>
```

FG.4



```
Option Compare Database
Option Explicit
Public Function CheckTags()
  // copyright Guy Middleton May 5 1999 Euronet UK Ltd. No use of this code
  method can be made without permission from the owner in writing
 ' This utitlity reads all the web pages currently in the database and finds
I the words in the TAGs so that they can then be sorted to enable programmi
of a compression thing
DoCmd.RunMacro "Web Pages First Record"
 Dim Count, Count2, PageHTML, Tag, a, b, c, Word
 Do While Not IsNull(Forms! [web pages]! [URL])
PageHTML = Forms! [web pages]![Content]
b = 1
Tag = False
        For a = 1 To (Len(PageHTML) - 0)
               If Mid(PageHTML, b, 1) = "," Or Mid(PageHTML, b, 1) = "." Or Mid(Pa
TML, b, 1) = " " Or Mid(PageHTML, b, 1) = "<" Or Mid(PageHTML, b, 1) = ">"
Mid(PageHTML, b, 1) = "=" Or Mid(PageHTML, b, 1) = "\" Or Mid(PageHTML, b,
= """" Or Mid(PageHTML, b, 1) = "/" Or Mid(PageHTML, b, 1) = "!" Or Mid(Pag
ML, b, 1) = vbCr Or Mid(PageHTML, b, 1) = "-" Then
                       Word = Mid(PageHTML, b, 1)
                       If Not IsNull (Word) Then
                               If Len(Word) > 0 Then
                                       Forms! [TagWords]! [Word] = Word
                                       DoCmd. RunMacro "TagWords Next Record"
                       End If
                       b = a + 1
               End If
 If Mid(PageHTML, a + 1, 1) = "," Or Mid(PageHTML, a + 1, 1) = "." O id(PageHTML, a + 1, 1) = " Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHTML, a + 1, 1) = " <" Or Mid(PageHT
  a + 1, 1) = ">" Or Mid(PageHTML, a + 1, 1) = "=" Or Mid(PageHTML, a + 1, 1
  "\" Or Mid(PageHTML, a + 1, 1) = """" Or Mid(PageHTML, a + 1, 1) = "/" Or .
 (PageHTML, a + 1, 1) = "!" Or Mid(PageHTML, a + 1, 1) = vbCr Or Mid(PageHTM
 a + 1, 1) = "-" Then
                       Word = Mid(PageHTML, b, (a - (b - 1)))
                       If Not IsNull(Word) Then
                               If Len (Word) > 0 Then
                                       Forms! [TagWords]! [Word] = Word
                                       DoCmd.RunMacro "TagWords Next Record"
                       End If
                       b = a + 1
                End If
      Next
 DoCmd.RunMacro "Web Pages Next Record"
 Loop
 End Function
 Public Function WriteJavascript()
 ' // copyright Guy Middleton May 5 1999 Euronet UK Ltd. No use of this code
  method can be made without permission from the owner in writing
 ' This utitlity reads all the web pages currently in the database writes a
 pressed version
 DoCmd.RunMacro "Web Pages First Record"
 Dim Count, Count2, PageHTML, Tag, a, b, c, Word, Code, Javascript, CodeWord
 Do While Not IsNull(Forms! [web pages]![URL])
 PageHTML = Forms! [web pages]![Content]
 b = 1
 Javascript = ""
```

fig 2

```
Tag = True
             For a = 1 To (Len(PageHTML) - 0)
If Mid(PageHTML, b, 1) = " " Or Mid(PageHTML, b, 1) = "<" Or Mid(PageHTML, b, 1) = "\" TML, b, 1) = ">" Or Mid(PageHTML, b, 1) = "\" Mid(PageHTML, b, 1) = "\" Or Mid(PageHTML, b, 1) = "\" Or Mid(PageHTML, b, 1) = "/" Or
   = "." Or Mid(PageHTML, b, 1) = "!" Or Mid(PageHTML, b, 1) = vbCr Or Mid(PageHTML, b, 1)
TML, b, 1) = "," Or Mid(PageHTMT, b, 1) = "-" Then
                                      Word = Mid(PageHTML, b, 1)
                                      If Not IsNull (Word) Then
                                                    If Len(Word) > 0 Then
                                                                 If Asc(Word) = 13 Then
                                                                              a = a + 1
                                                                              b = b + 1
                                                                 End If
                                                                 Forms! [web pages] ! [TempCode] = Word
                                                                 Forms! [ShowCode] . Requery
                                                                 Code = Forms![ShowCode]![ID]
                                                                 CodeWord = Forms![ShowCode]![Word]
                                                                 If IsNull(Code) Or Code = "undefined" Then Code = 1000
                                                                 If Code < 254 Then
                                                                               If Tag = False And Word <> " " Then
                                                                                           Javascript = Javascript & Chr(254)
                                                                                           Tag - True
                                                                               End If
                                                                               If Tag = False And Word = " " Then
                                                                                            Javascript = Javascript & " "
                                                                               End If
                                                                               If Tag = True Then
                                                                                            Javascript = Javascript & Chr(Code)
                                                                               End If
                                                                 Else
                                                                               If Tag = True Then
                                                                                            Javascript = Javascript & Chr(255) & Word
                                                                                           Tag = False
                                                                                            Javascript = Javascript & Word
                                                                               End If
                                                                  End If
                                                    End If
                                       End If
                                       b = a + 1
                           End If
  If Mid(PageHTML, a+1, 1) = " " Or Mid(PageHTML, a+1, 1) = "<" (id(PageHTML, a+1, 1) = ">" Or Mid(PageHTML, a+1, 1) = "=" Or Mid(PageHTML, a+1, 1) = " Or Mid(PageHTML, a+1, a+1,
    a + 1, 1) = "\" Or Mid(PageHTML, a + 1, 1) = """" Or Mid(PageHTML, a + 1,
   = "/" Or Mid(PageHTML, a + 1, 1) = "." Or Mid(PageHTML, a + 1, 1) = "!" Or
   (PageHTML, a + 1, 1) = vbCr Or Mid(PageHTML, a + 1, 1) = "," Or Mid(PageHTML
   a + 1, 1) = "-" Then
                                        Word = Mid(PageHTML, b, (a - (b - 1)))
                                        If Not IsNull (Word) Then
                                                     If Len(Word) > 0 Then
                                                                   Forms! [web pages]! [TempCode] = Word
                                                                   Forms! [ShowCode] . Requery
                                                                   Code = Forms![ShowCode]![ID]
                                                                   If IsNull(Code) Or Code = "undefined" Then Code = 1000
                                                                   If Code < 254 Then
                                                                                If Tag = False And Word <> " " Then
                                                                                             Javascript = Javascript & Chr(254)
                                                                                             Tag = True
                                                                                End If
                                                                                If Tag = False And Word = " " Then
```

```
Javascript = Javascript &
                         End If
                         If Tag = True Then
                             Javascript = Javascript & Chr(Code)
                         End If
                     Else
                         If Tag = True Then
                             Javascript = Javascript & Chr(255) & Word
                             Tag = False
                             Javascript = Javascript & Word
                         End If
                    End If
                End If
            End If
            b = a + 1
        End If
   Next
Forms! [web pages]! [Javascript] = Javascript
Open ("c:\websites\first\code.guy") For Output As #1
Print #1, Javascript
Close #1
Javascript = ""
Tag - False
DoCmd.RunMacro "Web Pages Next Record"
Loop
End Function
Public Function Uncompress()
' // copyright Guy Middleton May 5 1999 Euronet UK Ltd. No use of this cod
method can be made without permission from the owner in writing
' This utitlity reads all the web pages currently in the database writes a
pressed version
DoCmd.RunMacro "Web Pages First Record"
Dim Count, Count2, PageHTML, Tag, a, b, c, Word, Code, Javascript, NewHTML
Do While Not IsNull(Forms![web pages]![URL])
Javascript = Forms! [web pages]! [Javascript]
NewHTML = ""
b = 1
Tag = True
Code = 0
For a = 1 To (Len(Javascript) - 0)
    Code = Asc(Mid(Javascript, a, 1))
    If Code = 255 Then
        Tag = False
    End If
    If Code = 254 Then
        Tag - True
    End If
    If Code < 250 And Tag = True Then
        Forms! [web pages]! [TempCode] = Code
        Forms! (ShowWord) . Requery
        Word = Forms! [ShowWord]! [Word]
        NewHTML = NewHTML + Word
    End If
    If Code < 250 And Tag = False Then
        NewHTML = NewHTML + Mid(Javascript, a, 1)
    End If
Next
Forms! [web pages]! [NewContent] = NewHTML
NewHTMI. = ""
```

```
Tag = True
 DoCmd. RunMacro "Web Pages Next Record"
Loop
End Function
Public Function WriteExpander()
 ' // copyright Guy Middleton May 5 1999 Euronet UK Ltd. No use of this coc
 method can be made without permission from the owner in writing
Dim Text
End Function
Public Function WriteLibrary()
 ' // copyright Guy Middleton May 5 1999 Euronet UK Ltd. No use of this cod
 method can be made without permission from the owner in writing
Dim Library, a
DoCmd.RunMacro "Words First Record"
Dim L(256)
For a = 1 To 256
    L(a) = ""
Next a
· Dim i
Dim Word
For a = 1 To 174
If Not IsNull(Forms![words]![Word]) Then
    Word = Forms! [words]! [Word]
  .. If Word - Chr(10) Then
        Word = Chr(252)
        i = 252
    End If
    If Word = Chr(13) Then
        Word - Chr(253)
        i = 253
    End If
    If Word = Chr(34) Then
        .Word = Chr (246)
        i = 246
    End If
    If Word = Chr(92) Then
        Word = Chr (251)
    End If
    If i = 10 Then i = 248
    If i = 13 Then i = 249
    If i = 34 Then i = 250
    If i = 92 Then i = 251
    If i = 42 Or i = 43 Then i = i + 133
    If i \ge 45 And i \le 57 Then i = i \div 132
    If i >= 65 And i <= 90 Then i = i + 125
       i = 95 Then i = 216
       i >= 97 And i <= 122 Then i = i + 120
    If i = 129 Then i = 243
    If i = 141 Then i = 244
    If i = 143 Then i = 245
    If i = 144 Then i = 248
    If i = 157 Then i = 247
    L(i) = Word
    DoCmd. RunMacro "Words Next Record"
 End If
Next a
DoCmd.RunMacro "Words First Record"
```

fic 5.

```
For a = 1 To 253
    If IsNull(L(a)) Or Len(L(a)) = 0 Then
    Word = "afsdkjhaslkdhjfuirewekrjuisdfjhkasdue"
    Else
    Word = L(a)
    End If
    If Word = Chr(252) Then Word = Chr(10)
    If Word = Chr(253) Then Word = Chr(13)
    If Word = Chr(246) Then Word = Chr(34)
    If Word = Chr(251) Then Word = Chr(92)
    Forms! [words]! [Word] = Word
    If Word = Chr(10) Then Word = Chr(252)
    If Word = Chr(13) Then Word = Chr(253)
If Word = Chr(34) Then Word = Chr(246)
    If Word = Chr(92) Then Word = Chr(251)
    If Word = "afsdkjhaslkdhjfuirewekrjuisdfjhkasdue" Then Word = ""
    Library = Library & "," & Word
DoCmd.RunMacro "Words Next Record"
Next a
   Forms![web pages]![Library] = Library
End Function
Public Function checkcodes()
Dim NewHTML
Dim a
NewHTML = ""
For a = 1 To 255
   If a <> 10 And a <> 13 And a <> 34 And a <> 92 Then "NewHTML = NewHTML & Chr(a) & " "
    End If
Next
Forms! [web pages]! [NewContent] = NewHTML
End Function
```



```
<html>
<head><title>Wimbledon FC - The Official Web Site</title></head>
<body background="back.gif" bgcolor="#000060" text="#ffffff" link=</pre>
"#ffd000" vlink="#ffd000" alink="#ffd000">
<D>
<center><a href="bannerc.map"><img src="bannerc.gif" border="0" a</pre>
lt="Click the Crest to go E" ismap></a></center>
<center>
<
<CENTER><img border=0 src="stat1.gif" vspace=1></CENTER>
<br/>
<br/>
<br/>
<CENTER><img border=0 src="leaguet.gif"></CENTER><br>
<CENTER><b><FONT COLOR="fffffff">CURRENT LEAGUE TABLE</FONT></b></
CENTER>
<center><font SIZE=-1 COLOR="FF00000">(Last Update: 6/4/98)</font>
/center><BR>
<font color="fffffff"><b>
<b>
               P W D L F A PTS
 1 Man Utd '
              32 19
                       7 60 23 63
                    6
 2 Arsenal
              30 17
                    9
                       4 49 26 60
 3 Liverpool
              31 15 9
                      7 54 34 54
 4 Chelsea
              31 16 3 12 60 35 51
 5 Leeds
              32 15 6 11 47 34 51
 6 Blackburn
              30 14 9
                       7 51 39 51
 7 West Ham
              31 14 5 12 44 40 47</font>
 8 Derby
              31 13 6 12 44 41 45
 9 Aston Villa 33 13 6 14 40 42 45
 10 Coventry
              31 11 11 9 37 36 44
 11 Southampton 32 13 4 15 41 44 43
 12 Leicester
              31 10 11 10 36 33 41
 13 Sheff Wed
              32 11
                    7 14 45 58 40
<font color="#C0000"> 14 Wimbledon
                                  31 9 10 12 30 34 37</FONT>
 15 Newcastle 31 9 9 13 28 35 36
 16 Tottenham
              32 9 8 15 33 49 35
 17 Everton
              32 8 10 14 36 47 34
 18 Bolton
              32 6 13 13 29 48 31
 19 Barnsley
              32 9 4 19 33 73 31
 20 C Palace
              31 6 8 17 27 54 26
</PRE>
```

Statta

 < P> <CENTER></CENTER><P> 1</ td><5>Neil SULLIVAN</d>>35 align=right>2</ td><E>Ke nny CUNNINGHAM<E>33</E> 3</ td><5>Alan K IMBLE24 5</ td><5>Dea n BLACKWELL</E>32 align=right>6</ td>Ben THATCHER25 7</ td><E>Ceri HUGHES</d> 8</ td>Robbie EARLE 9</ td><E>Efan EK OKU 11< /td>Marcus GAYLE31 12< /td><=="ffd000" size=-1>Chris PERRY</E>34 <E>13< /td>Paul H EALD2 15 /td><E>Alan RFEVES<E>1 16< /td><5>Mich ael HUGHES25 17 /td><5>B rian McALLISTER<E>6

FIG 8

```
<B><FONT COLOR="ff0000" size=-1>18</font></b><
 /td><B><a href="ardley.htm"><FONT COLOR="ffd000" size=-1>Neal
 ARDLEY</a></FONT></B><B>31</B>
 <B><FONT COLOR="ff0000" size=-1>19</font></b><
 /td><B><a href="castledine.htm"><FONT COLOR="ffd000" size=-l>S
 tuart CASTLEDINE</a></FONT></B><B>12</B>
 <B><FONT COLOR="ff0000" size=-1>21</font></b>
 /td><B><a href="jupp.htm"><FONT COLOR="ffd000" size=-1>Duncan
 JUPP</a></FONT></B></d></B>
 <B><FONT COLOR="ff0000" size=-1>22</font></b>
 /td><B><a href="clarke.htm"><FONT COLOR="ffd000" size=-1>Andy
 CLARKE</a></FONT></B><B>18</B>
 <B><FONT COLOR="ff0000" size=-1>23</font></b><
 /td><B><a href="euell.htm"><FONT COLOR="ffd000" size=-1>Jason
 EUELL</a></FONT></B></d></b>
 <B><FONT COLOR="ff0000" size=-1>24</font></b><
 /td><B><a href="fear.htm"><FONT COLOR="ffd000" size=-1>Peter F
EAR</a></FONT></B><B>6</B>
<B><FONT COLOR="ff0000" size=-1>26</font></b>
 /td><B><a href="cort.htm"><FONT COLOR="ffd000" size=-1>Carl CO
RT</a></FONT></B></d></b>
<B><FONT COLOR="ff0000" size=-1>29</font></b><
/td><B><a href="leaburn.htm"><FONT COLOR="ffd000" size=-1>Carl
 LEABURN</a></FONT></B></d></br>
<P>
<CENTER><img border=0 src="goalst.gif"></CENTER><P>
<FONT COLOR="fffffff"size=-1><B>
Ceri HUGHES &#160<img src="ball.gif">&#160 1<BR>
Robbie EARLE &#160<img src="ball.gif">&#160<img src="ball.gif">&#1
60<img src="ball.gif">&#160 3<BR>
Efan EKOKU &#160<img src="ball.gif">&#160<img src="ball.gif">&#160
 2<BR>
Marcus GAYLE &#160<img src="ball.gif">&#160<img src="ball.gif">&#1
60<img src="ball.gif">&#160 3<BR>
Chris PERRY &#160<img src="ball.gif">&#160 1<BR>
Michael HUGHES &#160<img src="ball.gif">&#160<img src="ball.gif">&
#160<img src="ball.gif">&#160&#160<img src="ball.gif">&#160<img sr
c="ball.gif">&#160<img src="ball.gif">&#160 6<BR>
Neal ARDLEY &#160<img src="ball.gif">&#160<img src="ball.gif">&#16
0<img src="ball.gif">&#160 3<BR>
Stuart CASTLEDINE &#160<img src="ball.gif">&#160<img src="ball.gif"
"> 2<BR>
Andy CLARKE &#160<img src="ball.gif">&#160 1<BR>
Jason EUELL &#160<img src="ball.gif">&#160<img src="ball.gif">&#16
0<img src="ball.gif">&#160&#160<img src="ball.gif">&#160<img src="</pre>
ball.gif">&#160<img src="ball.gif">&#160<img src="ball.gif">&#160<
img src="ball.gif">&#160 8<BR>
Carl CORT &#160<img src="ball.gif">&#160<img src="ball.gif">&#160<
img src="ball.gif">&#160&#160<img src="ball.gif">&#160<img src="ba
```



```
11.gif">&#160<img src="ball.gif">&#160 6<ER>
Carl LEABURN &#160<img src="ball.gif">&#160<img src="ball.gif">&#1
 <P><br/>
P>
 </B>
 <CENTER><img border=0 src="faca=1.gif"></CENTER>
 <CENTER><img border=0 src='resultst.gif"></CENTER><br/><br/>
 <br/>

 <b><a bref="consader.hm"><font color="#:ffffff">Denby County
 a></font></b>
 حة ١/١٠حظ
 571 <FONT color="####### SIZE=-2><i>(abandoned 56min)</i></a></b>
  <!!>
 <br/>
<b
  <br/>
<ti><ti><ti><to><b><z href="donshsw.htm">1 - 1 Att 11,503</font></t></font></to></font></to>
 <t>>
 ctd>cb><z href="dorshot.htm">Chelsez</a></font>
  <br/>
<2,237</2></fd>
  (
  cmt></b>
  .16</a></for>
   <<u>+</u>
   FIG 9A
```

```
26</font></a></font></b>
<b><a href="donshcp.htm">Crystal Palace</a></font></b>
<b><a href="donshcp.htm">E</a></font></b>
<TR>
<b><a href="donshba.htm">Barnsley</a></font></b>
<bo><br/><br/><br/><br/>/b>
/EF>
<b><z href="donsath.htm"><font color="#fffffff">Tottenham Hotsp
ur</font></a></b>
<b><a href="donsath.htm"><font color="#fffffff">A</font></a></b</pre>
>
61</font></a></font></b>
<b><a href="donshbr.htm">Blackburn Rovers</a></font></b>
<b><a href="donshbr.htm">E</a></font></b>
<b><a href="donshbr.htm">0 - 1 Att 15,600</a></font></b>
>
<b><a href="donsazv.htm"><font color="#fffffff">Aston Villa</fo
nt></a></b>
<b><a href="donsaav.htm"><font color="#fffffff">A</font></a></b
>
<b><a href="donsaav.htm"><font color="#fffffff">2 - 1 Att 32,0
87</font></a></font></b>
<TI>
<b><a href="donsadc.htm"><font color="#fffffff">Derby County</f
ont></a></b>
<b><a nref="donsadc.htm"><font color="#fffffff">A</font></a></b
<b><< href="donsadc.htm"><font color="#fffffff">1 - 1 Att 28,5
95</font></a></font></b>
</tm>
                  f1910
<=>
```

```
<b><a href="donshcc.htm">Coventry City</a></font>
<b</td><br/>
<br/>

</tx>
/font></a></b>
<b><a href="donsalc.htm"><font color="#fffffff">A</font></a></b
>
= "donsalc.htm" ><font color="#fffffff">1 - 0 Att 18,5
53</fcnt></a></fcnt></b>
<b><a href="donshmu.htm">Manchester United</a></font></b>
 <b><a href="donahm1.htm">=</a></font></b>
 </tx>
 <b><a href="donsabw.htm"><font color="#ffffff">Bolton Wanderer
 s</font></a></b>
  <br/><a href="donsabw.htm"><font cclor="#ffffff">A</font></a></b
  >
  <b><a href="donsabw.htm"><font color="#ffffff">0 - 1 Att 22,7
 03</font></a></font></b></to>
  <b><a href="donshsh.htm">Southampton</a></font></b>
  <b><a href="donshsh.htm">H</a></font></b>
  <br/>

   <tI>
   /a></b>
   <b><a href="donsaev.htm"><font color="#ffffff">A</font></a></b
  >
    <b><a href="donsaev.htm"><font color="#ffffff">0 - 0 Att 28,5
   33</font></a></font></b>
     >
    /a></b>
     <br/>
<br/
     >
  00</fcmt></a></fcmt></b></tc>
      <</td>
                                                                                                                 FIGI
```

```
<b><a href="donshwh.htm">H</a></font></b>
<b><a href="donshwh.htm">1 - 2 Att 22,087</a></fcnt></b>
<b><a href="donsaliv.htm"><font color="#ffffff">Liverpool</fon
t></a></b>
.p><\rd>
011</font></a></font></b>
<b><a nref="donsawr.htm"><font color="#fffffff">Wrexham (FAC 3R
)</font></a></b>
<b><a href="donsawr.htm"><font color="#fffffff">A</font></a></b</pre>
>
<b><a href="donsawr.htm"><font color="#fffffff">3 - 2 Att 9,53</a>
9</font></a></font></b>
>"
<b><a href="donshdc.htm">Derby County</a></font></b>
<b><a href="donshdc.htm">H</a></font></b>
<b><a nref="donshdc.htm">0 - 0 Att 13,031</a></font></b>
>
<b><a href="donsasw.htm"><font color="#fffffff">Sheffield Wedne
sday</font></a></b>
<b><a href="donsasw.htm"><font color="#fffffff">A</font></a></b
>
<b><a href="donsasw.htm"><font color="#ffffff">1 - 1 Att 22,6
55</font></a></font></b></ti>
<b><a href="donsacp.htm"><font color="#ffffff">Crystal Palace<
/font></a></b>
<b><a href="donsacp.htm"><font color="#fffffff">A</font></a></b
>
<b><a href="donsacp.htm"><font color="#fffffff">3 - 0 Att 14,4
10</fcmt></a></fcmt></b>
>
<b><2 href="dcnshav.htm">Aston Villa</a></fcnt></b>
<b><a href="donshav.htm">H</a></font></b>
<b><a href="donshav.htm">2 - 1</a></font></b>
<b><a href="donsaba.htm"><font color="#fffffff">Barnsley</font>
</a></b>
                   f1912
```

```
<br/>
<br/
<b><a href="donsaba.htm"><fcnt color="#fffffff">1 - 2 Att 14,4
10</font></a></font></b>
 <br/>

 <b><a href="donshar.htm">0 - 1</a></font></b>
  >
  <bo><a href="donshlc.htm">Leicester City</a></font></b>
  <b<<a href="donshlc.htm">H</a></font></b>
  <b><a href="donshlc.htm">2 - 1</a></font></b>
  >
  >dorsami.htm"><font color="#fiffff">Manchester Unit
   ed</font></a></b>
 nt></b>
    <b><a href="donshmu.htm"></a></font></b>
    <b><a href="donshnu.htm"></a></font></b>
     >
     <b><a href="donshbw.htm">Bolton Wanderers</a></font></b>
      <b><a href="donsash.htm"><font color="#fffffff">Southampton</fo
       nt></a></b>
       <br/>

        nt></b></ta>
         <t=>
         <==>
          /a></b></tab
                                                                                                                 fla 13
```

```
<b><a href="donsaar.htm"><font color="#fffffff">A</font></a></b
<b><a href="donsaar.htm"><font color="#fffffff"></font></a></fo
nt></b>
<b><a href="donsabr.htm"><font color="#fffffff">Blackburn Rover</a>
s</font></a></b>
<b><a href="donsabr.htm"><font color="#fffffff">A</font></a></b
<b><a href="donsabr.htm"><font color="#fffffff"></font></a></fo
nt></b>
<b><a href="donshth.htm">Tottenham Hotspur</a></font></b>
<b><a href="donshth.htm">H</a></font></b>
<b><a href="donshth.htm"></a></font></b>
<b><a href="donsalu.htm"><font color="#fffffff">Leeds United</f
ont></a></b>
<b><a href="donsalu.htm"><font color="#fffffff">A</font></a></b
>
<b><a href="donsalu.htm"><font color="#fffffff"></font></a></fo
nt></b>
<P>
<CENTER><img border=0 src="cocacola.gif"></CENTER>
 >
 <b><a href="donshmw.htm">Millwall CCC2(1)</a></font></b>
 <b/>i><a href="donshmw.htm">H</a></font></b>
 <b><a href="donshmw.htm">5 - 1 Att 6,949</a></font></b><
 /tr>
 <b><a href="donsamw.htm"><font color="#fffffff">Millwall CCC2(2
 )</font></a></b>
 <b><a href="donsamw.htm"><font cclor="#fffffff">A</font></a></b
 >
 <b><a href="donsamw.htm"><font color="#fffffff">4 - 1 Att 3,59
 1</font></a></font></b>
 <b><a href="donsabw.htm"><font color="#fffffff">Bolton Wanderer
 s CCC3</font></a></b>
 <b><a href="donsabw.htm"><font color="#fffffff">A</font></a></b
 >
                      f1-G-14
```

```
<br/>td><br/>cb><a href="dcnsabw.htm"><font color="#ffffff">0 - 2 Att 9,87
5</font></a></font></b>
<CENTER><img border=0 src="facupi.gif"></CENTER>
>
<b><a href="donshwr.htm">Wrexham (FAC 3)</a></font></b>
<b><a href="donshwr.htm">H</a></font></b>
<b><a href="dcnshwr.htm">0 - 0<BR>Att 6,349</a></font></b>
>
<b><a href="donsaht.htm"><font color="#ffffff">Huddersfield To
wn (FAC 4) </font></a></b>
<b><a href="donsaht:htm"><font color="#ffffff">A</font></a></b
>
= "donsaht.htm" ><font color="#ffffff">1 - 0<BR>Att 14
,553</font></a></font></b>
/font></b>
<b><a href="donshwp.htm">H</a></font></b>
<b><a href="donshwp.htm"><font color="#ffffff">1 - 1 <ER>Att
15,322</font></a></font></b>
<b><a href="donshwp.htm">Wolverhampton Wanderers (FAC 5R)</a><
/font></b>
<b><a href="donshwp.htm">A</a></font></b>
 <b><a href="donshwp.htm"><font color="#ffffff">1 - 2 <BR>Att
 25,112</font></a></font></b>
 (P)
 </center></body>
 </html>
```

f1915

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 H03M7/30 H04L29/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

INSPEC, COMPENDEX, EPO-Internal, IBM-TDB, WPI Data, PAJ

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	SATOH T ET AL: "Performance analysis of the wireless hypermedia system" 1997 IEEE INTERNATIONAL CONFERENCE ON PERSONAL WIRELESS COMMUNICATIONS (CAT. NO.97TH8338), 1997 IEEE INTERNATIONAL CONFERENCE ON PERSONAL WIRELESS COMMUNICATIONS CONFERENCE PROCEEDINGS, MUMBAI, INDIA, 17-19 DEC. 1997, pages 293-296, XP002146973 1997, New York, NY, USA, IEEE, USA ISBN: 0-7803-4298-4	1,2,8,
A	the whole document/	3-7,9, 12,13

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.				
*Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention				
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family				
Date of the actual completion of the international search	Date of mailing of the international search report				
8 September 2000 Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	25/09/2000 Authorized officer				
NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	Berbain, F				

		PCT/GB 00/01794
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	BOUVIER D J: "THE STATE OF HTML" SIGICE BULLETIN,US,ASSOCIATION FOR COMPUTING MACHINERING, vol. 21, no. 2, 1 October 1995 (1995-10-01), pages 8-13, XP000563098 the whole document	1-13
	the whole document	
X	EP 0 797 158 A (FUJITSU LTD) 24 September 1997 (1997-09-24) column 13, line 6 -column 22, line 11	1,2,8, 10,11
A	abstract	3-7,9, 12,13
X	EP 0 896 284 A (FUJITSU LTD) 10 February 1999 (1999-02-10)	1,2,8, 10,11
4	figure 2 abstract	3-7,9, 12,13
X	EP 0 844 768 A (WEBTV NETWORKS INC) 27 May 1998 (1998-05-27)	1,2,8, 10,11
4	figure 3 abstract	3-7,9, 12,13
Р,А	WO 99 27460 A (HASSETT GREGORY P; KOVALCHUK ALEKSANDR (US); BELOV LEV (US); DOUGL) 3 June 1999 (1999-06-03) claims 1-12	1-13
		
		·
	•	
į	·	
İ		
Ì		

Information on patent family members

PCT/GB 00/01794

	Patent document cited in search report		Publication date	Patent family member(s)			Publication date
EP	0797158	A	24-09-1997	JP CN US	9261072 A 1168029 A 5854597 A	Ä	03-10-1997 17-12-1997 29-12-1998
EP	0896284	Α	10-02-1999	JP	11053349- A	4	26-02-1999
EP	0844768	Α .	27-05-1998	US AU JP WO	5838927 A 5264398 A 10190471 A 9822880 A	1	17-11-1998 10-06-1998 21-07-1998 28-05-1998
WO	9927460	Α	03-06-1999	AU	1390399 A	·	15-06-1999

THIS PAGE BLANK (USPTO)